


DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3445	REV. A SHEET 1 OF 3
DATE 05.06.23		TITLE BELT ASSEMBLY	SCALE N/A
A	05.06.23	NEW ISSUE	

RELEASED
[Signature]
05/06/30







D3445-041 BELT ASSEMBLY
REPLACES PREMIER AVIATION P/N
B67-43001-43

Copyright © 2005 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN 	DRAWN BY 	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 	APPROVED 	DRAWING NO. D3445	REV. A SHEET 2 OF 3
DATE 05.06.23		TITLE SHORT BELT	SCALE N/A

RELEASED

05/06/30

**D3445-1 SHORT BELT****REPLACES PREMIER AVIATION P/N B67-43001-49****NOTES:**

- 1) POSSIBLE SUPPLIER: TULMAR SAFETY SYSTEMS INC.
- 2) MATERIAL: MIL-W-4088 TYPE XVII, 1" BLACK WEBBING
- 3) STITCH APPROX. AS SHOWN, PER ASTM-D6193
- 4) FUSE/HEAT-SEAL ENDS AFTER CUTTING AS WELL AS CIRCUMFERENCE OF PUNCHED HOLE
- 6) ALL DIMENSIONS ARE IN INCHES
- 6) TOLERANCES AS PER TULMAR'S:
 - +/- 0.08" FOR 0.00-1.99"
 - +/- 0.20" FOR 2.00-10.24"
 - +/- 0.40" FOR 10.25-20.05"
 - +/- 0.60" FOR 20.06-39.38"
 - +/- 2.5% FOR LARGER THAN 39.38"


Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3445	REV. A SHEET 3 OF 3
DATE 05.06.23		TITLE LONG BELT	SCALE N/A

RELEASED
[Signature]
05/06/30

**D3445-3 LONG BELT****REPLACES PREMIER AVIATION P/N B67-43001-353****NOTES:**

- 1) POSSIBLE SUPPLIER: TULMAR SAFETY SYSTEMS INC.
- 2) MATERIAL: MIL-W-4088 TYPE XVII, 1" BLACK WEBBING
- 3) STITCH APPROX. AS SHOWN, PER ASTM-D6193
- 4) FUSE/HEAT-SEAL ENDS AFTER CUTTING AS WELL AS CIRCUMFERENCE OF PUNCHED HOLE
- 6) ALL DIMENSIONS ARE IN INCHES
- 6) TOLERANCES AS PER TULMAR'S:
 - +/- 0.08" FOR 0.00-1.99"
 - +/- 0.20" FOR 2.00-10.24"
 - +/- 0.40" FOR 10.25-20.05"
 - +/- 0.60" FOR 20.06-39.38"
 - +/- 2.5% FOR LARGER THAN 39.38"

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.